


Forma 5

TECHNICAL FEATURES

DESK SCREENS



DESK SCREENS



MELAMINE DESK SCREEN

19 mm thick particle board with 2 mm thermofused edges around the perimeter. Fixed to the framework with specific fittings hidden below the desk.



GLASS DESK SCREEN

6 mm (3 + 3 mm) laminated glass with inner butyral sheet. Polished edges and rounded corners. Fixed to the framework by specific fittings hidden below the desk.



UPHOLSTERED DESK SCREEN

16 mm thick particle board base with both sides upholstered. Sewings at laterals. For Skala programme we have Acoustics and pinable screens, made of particle board and high density foam 60 kg/m³, upholstered in Forma 5 Group 1, 2, 3 and 5 fabrics.



UNEVEN DESK SCREEN

A 3 mm steel sheet beam with an in 3 mm thick steel sheet beam with inverted "V" shape that supports 4 different parts, whose dimensions are: 30 x 381 mm, 480 x 381 mm, 730 x 281 mm and 480 x 281 mm. 2 nishes options: 5 mm thick ber board and 20 kg/m³ high density foam with 5 mm thick on each side of the part, later upholstered with Forma 5 fabrics; or 10 mm thick ber board with melamine cover. The screen parts have 280 mm height and 170 mm over the desk and are placed in triangle exchanging heights and colours.



ELEMENT DESCRIPTION

ALUMINIUM DESK SCREENS

The specific solution that offers this program for bench is the aluminium desk screen-shelf, it is made of aluminium sheet with 3 mm thickness. It consists of two pieces that are heading in opposite desks. They have the option to put between them different desk screens solutions: upholstered with different levels or standard for bench, upholstered, melamine or glass described previously.



FRONT DESK SCREENS FOR SINGLE DESKS

The front desks screens for single desks are used in shared rooms mainly, by staff of several departments or by staff of different companies. It's made for keep the intimacy, reduce the noise as much as possible and improve the user concentration. A lot of companies use these screens in combination with side screens to make up "Call center" positions with special needs of intimacy and isolation.

The available materials for these screens are melamine, glass or upholstered melamine in the Group of our upholsteries catalog.

FRONT DESK SCREENS FOR BENCH DESKS

The bench desk posts became popular in the last years because of their versatility, their growth possibilities and the space use. The screen in a bench is a delimit element that favors the intimacy without cutting the communication between face to face positions, frontal or side.

The available materials for these screens are melamine, glass or upholstered melamine. Also exists uneven melamine or upholstered screens, available for the M10 and V30 programs. For Let's Work we have desk screens with aluminium shelf or desk screen with aluminium shelf + upholstered uneven screens. fres con estante de aluminio + tapizado a desnivel.

SIDE DESK SCREENS FOR SINGLE DESKS AND BENCH DESKS

The available materials for these screens are melamine, glass or upholstered melamine in the Group 1 of our upholsteries brochure.

COMPATIBILITIES

Front desk screens for single desks:

F25, Logos, M10, V30, Neo, Skala, Blok, Class, Zama, Zama Next and Let's Work

Front desk screens for bench desks:

F25, M10, V30, Logos, Blok, Skala, Zama, Zama Next and Let's Work

Front desk screens for single desks and bench desks:

F25, M10, V30, Neo and Skala

FITTINGS



The fittings for the desk screens depending on the programme are made of steel or aluminium as well as its range of colours which depends on the series and the chosen option.

PACKING


The desk screen is delivered fully disassembled. The items are retractable with protections in the edges.

OVERVIEWS AND DIMENSIONS



FRONT DESK SCREENS

	SINGLE DESKS		For table width 180, 160, 140, 120 cm Over top height 35 cm	A x h	177,6 x 35/180 157,6 x 35/160 137,6 x 35/140 117,6 x 35/120															
	BENCH		For table width 180, 160, 140, 120 cm Height over top: h: 33,9 cm (30 mm top); 35 cm (19 mm top) Blok 26 cm (glass) Logos: h 35 cm (top 30 mm) or 36,1 cm (top 19 mm)	A x h	<table><tr><th>GENERAL</th><th>M10 and V30</th><th>SKALA</th></tr><tr><td>168/180</td><td>177,6 /80</td><td>155,5 x 84/180</td></tr><tr><td>148/160</td><td>157,6 /60</td><td>135,5 x 84/160</td></tr><tr><td>128/140</td><td>137,6 /140</td><td></td></tr><tr><td>108/120</td><td>117,6 /120</td><td></td></tr></table>	GENERAL	M10 and V30	SKALA	168/180	177,6 /80	155,5 x 84/180	148/160	157,6 /60	135,5 x 84/160	128/140	137,6 /140		108/120	117,6 /120	
GENERAL	M10 and V30	SKALA																		
168/180	177,6 /80	155,5 x 84/180																		
148/160	157,6 /60	135,5 x 84/160																		
128/140	137,6 /140																			
108/120	117,6 /120																			


UNEVEN DESK SCREENS FOR BENCH DESK

	<p>BENCH</p> <p>For table width 180, 160, 140 cm</p> <p>Over top height 26,8 cm</p> <p>A x h</p> <table border="1"> <thead> <tr> <th>MELAMINE</th> <th>UPHOLSTERED</th> </tr> </thead> <tbody> <tr> <td>162 /180</td> <td>164 /180</td> </tr> <tr> <td>142 /160</td> <td>144 /160</td> </tr> <tr> <td>122 /40</td> <td>124 /140</td> </tr> </tbody> </table> <p>12,2 x 17</p>	MELAMINE	UPHOLSTERED	162 /180	164 /180	142 /160	144 /160	122 /40	124 /140
MELAMINE	UPHOLSTERED								
162 /180	164 /180								
142 /160	144 /160								
122 /40	124 /140								

SIDE SCREENS FOR SINGLE DESKS AND BENCH DESKS





 	<p>For table width 80 / bench 162,4 or 165,8 cm</p> <p>Over top height 33 cm</p> <p>A x h</p> <p>162,4 x 33/162,4 80 x 33/80</p>
---	--

DESK SCREENS FOR AXIS CABINETS
















	<p>AXIS</p> <p>For cabinet width 180, 160, 140 cm</p> <p>Over cabinet height 34 cm</p> <p>A x B x h/C</p> <p>156 x 1,9 x 34/180 136 x 1,9 x 34/160 73 x 1,9 x 34/90</p>
---	--

OVERVIEWS AND DIMENSIONS





FITTINGS FOR FRONT DESK SCREENS - SINGLE DESK

 	<p>Compatible with: 19 mm top single desk: F25, Skala, Zama, Logos and Class Not compatible with sliding tops</p>
 	<p>Compatible with: 30 mm top single desk: F25, M10, V30, Blok, Neo, Zama, Logos, Zama Next and Let's Work Not compatible with sliding tops</p>







FITTINGS FOR FRONT DESK SCREENS - BENCHES

 	<p>REFERENCE 9</p> <p>Compatible with: F25, Zama and Zama Next Fittings for bench desk without pedestal or cabinet</p>
 	<p>REFERENCE 8</p> <p>Compatible with: F25 Fittings for bench desk with pedestal or cabinet</p>
 	<p>REFERENCE L</p> <p>Compatible with: Let's Work</p>
 	<p>REFERENCE 4</p> <p>Compatible with: M10 and V30 Fittings for bench desk without pedestal or cabinet</p>
 	<p>REFERENCE H</p> <p>Compatible with: M10 and V30 Fittings for bench desk with pedestal or cabinet</p>
 	<p>Compatible with: Logos</p>
  	<p>Compatible with: Skala</p>


FITTINGS FOR UNEVEN DESK SCREENS - BENCHES

 	<p>REFERENCE I</p> <p>Compatible with: M10 and V30 Fittings for bench desk without pedestal or cabinet</p>
 	<p>REFERENCE K</p> <p>Compatibles con: M10 and V30 Fittings for bench desk without pedestal or cabinet</p>

FITTINGS FOR SIDE DESK SCREENS - SINGLE DESKS AND BENCHES


 19 mm		Compatible with: F25 Skala (single desk)
 30 mm		Compatible with: F25, M10, V30 and Neo
 4,7 cm 11,3 cm	 11,3 cm	Compatible with: Axis

TECHNICAL SCREENS



TECHNICAL SCREENS


Technical screens are built by a 24 mm thick perimeter frame that may contain a melamine or upholstered melamine structure. This frame has in the upper part a slot (monorail) or several slots (multirail) that allow hanging accessories. Over this frame may be placed a vertical glass extension by some aluminium pins fixed to the frame and supporting the glass.



Monorail



Multirail



Glass vertical extension



Hanging tray



TFT support

ELEMENT DESCRIPTION

TRAYS AND ACCESSORIES

The possibility of adding accessories to the technical screens provides an added functionality, because they permit an organisation more effective of the work tools and a more efficient use of the working surface.

The variety of available elements, their location and position are free for the user, who must know the number of rails of the chosen screen and the dimensions of the chosen trays when designing the working post.

Using accessories is possible from the both faces of the screen, to be used by two positions face to face in a bench-type overview.

MELAMINE

19 mm thick melamine composite board with 1,2 mm thermofused edge in its whole perimeter fixed to the desk framework by specific fittings depending on the series. With a wide range of finishes.

ALUMINIUM

24 mm thick extruded aluminium.

GLASS

6 mm laminated glass (3 + 3 mm) with intermediate butyral sheet with polished edges and rounded corners fixed to the framework by specific fittings.

UPHOLSTERED

A wide range of finishes inside our upholsteries brochure.

FITTINGS

The fittings for the desk screens depending on the programme are made of steel or aluminium as well as its range of colours which depends on the series and the chosen option.

COMPATIBILITIES

M10, F25, V30, Blok, Neo, Zama, Zama Next, Class, Skala and Logo



PACKING

The desk screen is delivered fully disassembled. The items are retractable with protections in the edges.



TECHNICAL SCREENS FOR SINGLE DESKS AND FOR BENCH SKALA

	SIMPLE MONORAIL MELAMINE AND UPHOLSTERED	For table width 180, 160, 140, 120 cm Over top height H:43,2 cm	A x C	172,4/180 152,4/160 132,4/140 112,4/120
	SIMPLE MULTIRAIL MELAMINE AND UPHOLSTERED	For table width 180, 160, 140, 120 cm Over top height H:43,2 cm	A x C	172,4/180 152,4/160 132,4/140 112,4/120





TECHNICAL SCREENS FOR BENCHES

	SIMPLE MONORAIL MELAMINE AND UPHOLSTERED	For table width 180, 160, 140, 120 cm Over top height M10 and V30: H 38,5 cm F25, Zama, Zama Next and Blok: H 40 cm	A x C	172,4/180 152,4/160 132,4/140 112,4/120
	SIMPLE MULTIRAIL MELAMINE AND UPHOLSTERED	For table width 180, 160, 140, 120 cm Over top height M10 and V30: H 38,5 cm F25, Zama, Zama Next and Blok: H 40 cm	A x C	172,4/180 152,4/160 132,4/140 112,4/120



TECHNICAL SCREENS FOR LOGOS BENCHES

	SIMPLE MONORAIL MELAMINE AND UPHOLSTERED	For table width 180, 160, 140, 120 cm Over top height 39,1 mm (top 30 mm), 40,2 mm (top 19 mm)	A x C	162,5/180 142,5/160 122,5/140 102,5/120
	SIMPLE MULTIRAIL MELAMINE AND UPHOLSTERED	For table width 180, 160, 140, 120 cm Over top height 39,1 mm (top 30 mm), 40,2 mm (top 19 mm)	A x C	162,5/180 142,5/160 122,5/140 102,5/120




ACCESSORIES FOR TECHNICAL SCREENS

	VERTICAL GLASS EXTENSION	Top 30 mm = h: 39,1 mm Top 19 mm = h: 40,2 mm	A x h/ C	172 x 25/180 152 x 25/160 132 x 25/140 112 x 25/120
	VERTICAL GLASS EXTENSION FOR LOGOS BENCHES	Top 30 mm = h: 39,1 mm Top 19 mm = h: 40,2 mm	A x h/ C	160 x 25/180 140 x 25/160 120 x 25/140 100 x 25/120
	TFT SUPPORT		A x B x h	13 x 5 x 14
	A4 TRAY		A x B x h	33 x 24,5 x 5,8

FITTINGS TECHNICAL SCREENS - SINGLE DESKS AND SKALA BENCH

 <p>19 mm</p>	<p>REFERENCE 1</p> <p>Compatibles with: 19 mm top single desk: F25, Skala, Zama, Logos and Class</p>
 <p>30 mm</p>	<p>REFERENCE 2</p> <p>Compatibles with: 30 mm top single desk: F25, M10, V30, Blok, Neo, Zama, Logos, Zama Next and Neo</p>

FITTINGS TECHNICAL SCREENS - BENCHES

	<p>REFERENCE 3</p> <p>Compatibles with: Blok</p>
	<p>REFERENCE 4</p> <p>Compatibles with: M10 and V30</p>
	<p>REFERENCE 6</p> <p>Compatible with: F25, Zama and Zama Next</p> <p>REFERENCE M</p> <p>Compatible with: F25, Zama and Zama Next</p>

MAINTENANCE AND CLEANING GUIDE

MELAMINE PIECES

Rub the dirty spots with a wet cloth with PH neutral soap.

PLASTIC PIECES

Rub the dirty spots with a wet cloth with PH neutral soap.

METAL PIECES

- 1 Rub the dirty spots with a wet cloth with PH neutral soap.
- 2 Polished aluminium pieces can have their polish bak by covering and rubbing them with a dry cottom cloth.

GLASS PIECES

Rub the dirty spots with a wet cloth with PH neutral soap.

Do not use abrasive products in any case.

Developed by I+D+I FORMA 5