
Forma 5

# TECHNICAL FEATURES




# For anti-electrostatic solutions, please ask us the conditions.




Floor support Leveller or optional height adjustment

## BENCH DESK



## **ELEMENT DESCRIPTION**



#### TOPS

Melamine: 25 mm thick melamine particle board. 2 mm thick thermofused edges around the perimeter. Drilled underneath to allow a correct assembly. The quality requirements for the board are made according to the UNE-EN 312 legal terms, corresponding to P2 board. The average 25 mm thick board density is 595 kg/m3.



#### LEG FRAMES

60 x 30 x 2 mm thick semi-oval tube. 100 micron layer epoxy paint. Legs meet crossbar. 60 x 30 x 1,5 mm beam as desk top support. The leg frame has a trestle shape. Polypropylene levellers. This program includes three types of leg frames: simple (for single desks), double (for bench desks) and add-on leg frames (for bench desks). The last type provides longitudinal growth for add-on desks and, as it is shorter than the bench side where it is installed, it facilitates the distribution of workstations.



Optional leg frame with height adjustment for single desks. 650 - 850 mm in 60 x 30 x 2 mm semi-oval tube with a 100 micron layer epoxy paint.

#### DETAILS









Inner link angle 15°.

#### **DESK SCREENS**



#### **MELAMINE DESK SCREEN**

the desk grows to 7 mm.

19 mm thick particle board with 2 mm thermofused edges around the perimeter. Fixed to the framework with specific fittinas.



#### **GLASS DESK SCREEN**

6 mm (3 + 3 mm) laminated glass with inner butyral sheet. Polished edges and rounded corners. Fixed to the framework by specific fittings.



#### UPHOLSTERED DESK SCREEN

16 mm thick particle board base with both sides upholstered, fixed to the framework by specific fittings. Sewings at laterals



#### **UNEVEN DESK SCREEN**

A 3 mm steel sheet beam with an in 3 mm thick steel sheet beam with inverted "V" shape that supports 4 different parts, whose dimensions are: 30 x 381 mm, 480 x 381 mm, 730 x 281 mm and 480 x 281 mm. 2 finishes options: 5 mm thick fiber board and 20 kg/m3 high density foam with 5 mm thich on each side of the part, later upholstered with Forma 5 fabrics; or 10 mm thick fiber board with melamine cover. The screen parts have 280 mm height and 170 mm over the desk and are placed in triangle exchanging heights and colours.



#### UPHOLSTERED ACOUSTIC DESK SCREEN

16 mm thick particleboard base covered with a 5 mm thick foam cover with 60 kg/m3 density and upholstered on both sides. Double perimeter seam. Fixing to the structure of the desk by specific fittings.

#### **FABRIC METERS**

	Desks 180 width	Desks 160 width	Desks 140 width	Desks 120 width
Front screen	1,9 m	1,7 m	1,5 m	1,3 m
Uneven screen	1,3 m	1,3 m	1,0 m	-
	Desks 162 depth	Desks 80 depth	Fabric meters for 1 unit. For other units, consul sible the fabric optimization.	
Side screen	1,8 m	1,00 m		

Sliding top. The complete height of Height adjustment. Reception counter. 650 - 850 mm.

## ELEMENT DESCRIPTION

#### **MODESTY PANELS**



#### MELAMINE MODESTY PANELS

19 mm thick particles board with 1,2 mm thick thermofused edges in its whole perimeter fixed to the framework with specific fittings hidden under the desk.

#### METAL MODESTY PANELS

Drilled steel modesty panel with powder epoxy paint finished 220°C polymerized (1,5 mm thick) and engraved texture. Hanging from the front beam. Depending on the program and the modesty panel position in relation with the cable management, we have references for:

#### COMPATIBILITIES WITH CABLE MANAGEMENT





Modesty panels non compatibles with cable management. Hidden beam.

Modesty panels compatibles with cable management. Trays and beams from the desk front. Modesty panel is placed behind them.



Modesty panels compatibles with cable management. Trays and beams from the desk front. Modesty panel is placed in front of them.

#### CABLE MANAGEMENT

#### ACCESSORIES FOR DESK SURFACE



## SQUARE DESK GROMMETS

ABS tap of 94 x 94 mm and polished finish. Polypropylene piece Ø 80 mm inner. Height 25 mm (2 mm over top).



#### ALUMINIUM TOP ACCESS

Aluminium part overall dimensions 367 x 127 x 33 mm. Extruded tap aluminium 348 x 89 mm and 4 mm average thickness. Aluminium injection inner piece average thickness 2.5 mm.



#### SLIDING TOP KIT

Set of five plastic POM and polyamide pieces that allows slide the desk top over the structure to access to the electrification located under the desk top. Ordering 1 sliding top kit for single desk, 2 kits for bench desk, one for each desk top.



#### POLYAMIDE TOP ACCESS

Polyamide part outer dimensions are 245 mm x 125 mm x h: 25 mm. The inner has a gap of 225mm x 90mm for the cable management. Set of two pieces made of polyamide with 10% glass fiber and 20% microspheres.

#### HORIZONTAL CABLE DRIVING



#### METAL TRANSVERSALE CABLE TRAY 1,5 mm thick blank folded sheet tray. Dimensions 463 x 136 x 124 mm. Folds for fixing between beams.



## REMOVABLE METAL TRANSVERSALE CABLE

1,2 mm thick folded sheet metal tray, with final piece and fastening polyamide clamp to beam. Sheet dimensions: 920/720 x 121.9 x 98.3 mm. Overall dimensions: 1000/800 x 195.4 x 133.4 mm.



**REMOVABLE WIRE CABLE TRAYS** Electrowelded wire tray Ø 5 mm rod. Fix to the tap by metal plates.



## REMOVABLE METAL DOUBLE CABLE

1,2 mm thick folded sheet tray. Dimensions 1200/1000 x 338 mm. Polyamide pieces for subjection to beam. Overall dimensions of the set:  $1200/1000 \times 489.3 \times 142.5$  mm.



#### POLYPROPYLENE CABLE TRAY

Variable thick polypropylene tray. Overall dimensions 365 x 165 x 150 mm. Fixation to top directly by screws.



#### METAL CABLE TRAY TO SERVICE POWER

Metal cable tray to service power outlet, made of steel sheet, 1,2 mm thickness and 300 mm in length. Possibility of setting a power block. Fixing in the desk top with wooden screws. outlet



#### POLYPROPYLENE WIRE CABLE TRAY

Variable thick polypropylene tray. Overall dimensions  $472 \times 360 \times 114$  mm. Fixation to beams by folds in the mold. It is possible to screw it to the top.

## ELEMENT DESCRIPTION

#### VERTICAL CABLE DRIVING



#### METAL CABLE PILLAR

1,5 mm thick metal pillar. Section 71 x 70 mm, base 160 x 160 mm. Overall height 572.5 mm.



#### CABLE SPINE FOR ELECTRIFICATION

Spiral thermoplastic material, anchored to the top by screws and to the ground with a pedestal base. Silver gray finish.

#### ADDITIONAL ACCESSORIES



#### ADJUSTABLE CPU CABINET

Support folded metal sheet, 2 mm thick. Adjustable height and width to suit different dimensions. Screwed to desk top. Flexible polyurethane protections to prevent vibration and to ensure an optimal fit.






#### 4 WAY POWER BLOCK

.....

16A 250V sockets for 3 x 1.5 mm<sup>2</sup> power cable.

**3 WAY POWER BLOCK WITH 2X RJ45 DATA** 16A 250V sockets for 3 x 1.5 mm<sup>2</sup> power cable.



## **POWER CABLE AND EXTENSION CABLE** 3 x 1,5 mm<sup>2</sup> cable 250V 16A with grounding.

#### M10 - CLÁSSIC DESKS

В	RECTANGULAR DESK	AxB	200 x 90 180 x 90 180 x 80 166 x 80 160 x 80 140 x 80 120 x 80
A B:80 43	DESK WITH 43 WIDTH PEDESTAL OR CABINET FOR SYSTEMS	AxB	180 x 80 160 x 80 140 x 80
<b>B:80</b>	DESK WITH 43 WIDTH PEDESTAL OR CABINET FOR SYSTEMS, TABLE HEIGHT	AxB	180 x 80 160 x 80 140 x 80 120 x 80

#### M10 - ADD-ON DESKS, LEG FRAME LINKING

A B:80 →→ + →→	RECTANGULAR DESK	AxB	180 x 80 160 x 80 140 x 80 120 x 80
A B:80 →→ + →→ 43	DESK WITH 43 WIDTH PEDESTAL OR CABINET FOR SYSTEMS	AxB	180 x 80 160 x 80 140 x 80
A	DESK WITH 43 WIDTH PEDESTAL OR CABINET FOR SYSTEMS, TABLE HEIGHT	A x B	180 x 80 160 x 80 140 x 80 120 x 80


TOP 25 mm h: 73,5 cm

TOP 25 mm h: 73,5 cm

#### M10 - ADD-ON DESKS, PEDESTAL LINKING

A B:80	RECTANGULAR DESK	A x B	180 x 80 160 x 80 140 x 80 120 x 80
A B:80	DESK WITH 43 WIDTH PEDESTAL OR CABINET FOR SYSTEMS	A x B	180 x 80 160 x 80 140 x 80
A A A A B _	DESK WITH 43 WIDTH PEDESTAL OR CABINET FOR SYSTEMS, TABLE HEIGHT	A x B	180 x 80 160 x 80 140 x 80 120 x 80

#### M10 - RETURN DESKS



TOP 25 mm h: 73,5 cm

#### M10 - BENCH DESKS

B:166	BENCH DESK 2 POSITIONS	A x B/b1	180 x 166/80 160 x 166/80 140 x 166/80 120 x 166/80
	BENCH DESK 4 POSITIONS	A x B/b1	360/180 x 166/80 320/160 x 166/80 280/140 x 166/80 240/120 x 166/80
A 191:80 191	ADD-ON BENCH DESK	A x B/b1	180 x 166/80 160 x 166/80 140 x 166/80 120 x 166/80
			TOP 25 mm h: 73,5 cm

A 43 08:10 08:10 08:10 08:10	BENCH SUPPORT 43 WIDTH PEDESTALS OR CABINET FOR SYSTEMS	A x B/b1	180 x 166/80 160 x 166/80 140 x 166/80
69:10 10	BENCH SUPPORT 43 WIDTH PEDESTALS OR CABINET FOR SYSTEMS, TABLE HEIGHT	A x B/b1	180 x 166/80 160 x 166/80 140 x 166/80 120 x 166/80

TOP 25 mm h: 73,5 cm

#### M10 - BENCH DESKS

43 WIDTH PEDESTALS OR CABINET FOR SYSTEMS	A/a1 x B/b1	360/180 x 166/80 320/160 x 166/80 280/140 x 166/80
43 WIDTH PEDESTALS OR CABINET FOR SYSTEMS, TABLE HEIGHT	A/a1 x B/b1	360/180 x 166/80 320/160 x 166/80 280/140 x 166/80 240/120 x 166/80

#### TOP 25 mm h: 73,5 cm

#### M10 - ADD-ON BENCH DESKS

	43 WIDTH PEDESTAL OR CABINET FOR SYSTEMS	A x B/b1	180 x 166/80 160 x 166/80 140 x 166/80
$\begin{array}{c c} A \\ \hline \\$	43 WIDTH PEDESTAL OR CABINET FOR SYSTEMS, TABLE HEIGHT	A x B/b1	180 x 166/80 160 x 166/80 140 x 166/80 120 x 166/80

#### TOP 25 mm h: 73,5 cm

#### M10 - BENCH DESK LINKS

A:45 B:166	ENDING LINK	АхВ	45 x 166
A:65 B:166 a1:22	INNER LINK	A/a1 x B	65/22 x 166

TOP 25 mm h: 73,5 cm

### M10 - CONFIGURATIONS WITH AXIS CABINETS

A B	RECTANGULAR DESK + SINGLE (180/160) CABINET	AxB	180 x 80 160 x 80 180 x 67 160 x 67
AB:80	RECTANGULAR DESK + DOUBLE (180/160) CABINETS	A/a1 x B	360/180 x 80 320/160 x 80
			TOP 25 mm h: 73.5 cm
·;			
	2 POSITIONS BENCH DESK + SINGLE (180/160) CABINETS	A x B/b1	180 x 166/80 160 x 166/80 180 x 140/67 160 x 140/67
A a1 08:19 08:19 08:19 08:19 08:19 08:19 08:19	4 POSITIONS BENCH DESK + DOUBLE (180/160) CABINETS	A/a1 x B/b1	360/180 x 166/80 320/160 x 166/80
			TOP 25 mm
	CABINETS		h: 73,5 cm 180 x 166/80 160 x 166/80 180 x 140/67 160 x 140/67 360/180 x 166/80 320/160 x 166/80

h: 73,5 cm



Life Cycle Analysis M10 Program



RAW MATERIALS				
Raw Material	Kg	%		
Steel	30,67 Kg	48%		
Plastic	0,64 Kg	1%		
Wood	32,6 Kg	59%		

% Recycled material= 52% % Recyclable materials= 99%

## Ecodesign

Results reached during the life cycle stages



**Wood** 70% of the wood material is recycled, has PEFC/FSC and complies within the E1 standard.

**Steel** 15%-99% recycled material. Plastic 30%-40% recycled material. Paintings Podwer painting without COV emissions

Packings 100% recyclable with inks with no solvents.



#### PRODUCTION

Raw materials use optimization Board, upholstery and steel tubes cut.

Renewable energies use reducing the CO2 emissions. (Photovoltaic pannels)

Energy saving measures in all production process

**COV global emission reduction** of the production processes by 70%.

Podwer painting ecovery of 93% of the non deposited painting

Glue removal from the upholstery The facilities

have an internal sewage for liquid waste. Green points

at the factory

**100% waste recycling** at production process ans dangerous waste special treatment.



Cardboard use opmitization of the packings

Cardboard and packing materials use reduction

Flat packings and small bulks to optimize the space.

Solid waste compacter which reduces transport and emissions.

Light volumes and weights

**Transport fleet renewal** reducing by 28% the fuel consumption.

Suppliers area reduction Local market power and less pollution at transport.



Easy maintenance and cleaning without solvents.

#### Forma 5 guarantee

The highest quality for materials to provide a 10 year average life of the product. Useful life optimization of the product due to a standarized and modular design.

The boards with no E1 particle emission.



**Easy unpacking** for the recyclability or compound reuse.

Piece standarization for the use.

Recycled materials used for products (% recyclability): Wood is 100% recyclable. Steel is 100% recyclable. With no air or water pollution while removing waste.

Returnable, recyclable and reusable packing

Product recyclability 99%



## MAINTENANCE AND CLEANING GUIDE

#### **MELAMINE PIECES**

Rub the dirty spots with a wet cloth with PH neutral soap.

#### **PLASTIC PIECES**

Rub the dirty spots with a wet cloth with PH neutral soap.

#### METAL PIECES

- 1 Rub the dirty spots with a wet cloth with PH neutral soap.
- Polished aluminium pieces can have their polish bak by covering and rubbing them with a dry cottom cloth.

#### **GLASS PIECES**

Rub the dirty spots with a wet cloth with PH neutral soap.

Do not use abrasive products in any case.

## **LEGAL TERMS**

#### CERTIFICADOS

Forma 5 certifies that M10 programme has passed tests conducted in the laboratory of internal Quality Control and TECNALIA Research Technology Center, obtaining "satisfactory" results in the following tests:

UNE EN 527-1-2001 norm. Office furniture. Desks. Part 1: Dimensions.

UNE EN 527-2-2003 norm. Office furniture. Desks. Part 2: Security mechanism requirements.

UNE EN 527-3-2003 norm. Office furniture. Desks. Part 3: Testing methods to determine the stability and mechanic resistence of the structure.

Developed by MARIO RUIZ